Oncology: Common ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians for oncology testing. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2024 through September 30, 2025. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information should be reflected in the patient's medical record.

		Diagnosis
Symbol	Code	Sign or Symptom
§	R63.4	Abnormal weight loss
§	C91.ØØ	Acute lymphoblastic leukemia not having achieved remission
⊗ §	C92.ØØ	Acute myeloblastic leukemia, not having achieved remission
*	D63.8	Anemia in other chronic diseases classified elsewhere (never a primary diagnosis)
§	D64.9	Anemia, Unspecified
§	C91.1Ø	Chronic lymphocyte leukemia of B-cell type not having achieved remission
⊘ §	C92.12	Chronic myeloid leukemia, BCR/ABL-positive, in relapse
⊘ §	C92.11	Chronic myeloid leukemia, BCR/ABL-positive, in remission
⊘ §	C92.1Ø	Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission
₽ĕ	C93.1Ø	Chronic myelomonocytic leukemia not having achieved remission
§	D47.1	Chronic myeloproliferative disease
§	D68.9	Coagulation defect, unspecified
§	D72.819	Decreased white blood cell count, unspecified
	D75.9	Disease of blood and blood-forming organs, unspecified
§	N28.9	Disorder of kidney and ureter, unspecified
§	D72.9	Disorders of white blood cells, unspecified
§	D72.829	Elevated white blood cell count, unspecified
	R74.Ø2	Elevation of levels of lactic acid dehydrogenase [LDH]
o§	Z51.11	Encounter for antineoplastic chemotherapy
	ZØ1.89	Encounter for other specified special examinations
§	D72.1Ø	Eosinophilia, unspecified
§	D47.3	Essential (hemorrhagic) thrombocythemia
≈§	I1Ø	Essential (primary) hypertension
*	Z8Ø.3	Family history of malignant neoplasm of breast (never a primary diagnosis)
*	Z8Ø.Ø	Family history of malignant neoplasm of digestive organs (never a primary diagnosis)
*	Z8Ø.41	Family history of malignant neoplasm of ovary (never a primary diagnosis)
§	R59.1	Generalized enlarged lymph nodes
∢⊚ §	D7Ø.1	Granulocytosis secondary to cancer chemotherapy
§	D69.3	Immune thrombocytopenic purpura
§	DØ5.12	Intraductal carcinoma in situ of left breast
§	DØ5.11	Intraductal carcinoma in situ of right breast
★§	C22.1	Intrahepatic bile duct carcinoma

		Diagnosis
Symbol	Code	Sign or Symptom
V§	E61.1	Iron deficiency
§	D5Ø.Ø	Iron deficiency anemia secondary to blood loss (chronic)
	D5Ø.9	Iron deficiency anemia, unspecified
★§	C22.Ø	Liver cell carcinoma
§	R59.Ø	Localized enlarged lymph nodes
§	D72.81Ø	Lymphocytopenia
§	D72.82Ø	Lymphocytosis (symptomatic)
§	C8Ø.1	Malignant (primary) neoplasm, unspecified
§	C43.59	Malignant melanoma of other part of trunk
§	C43.9	Malignant melanoma of skin, unspecified
§	C21.1	Malignant neoplasm of anal canal
§	C18.1	Malignant neoplasm of appendix
§	C18.2	Malignant neoplasm of ascending colon
	C67.9	Malignant neoplasm of bladder, unspecified
Δ§	C25.1	Malignant neoplasm of body of pancreas
•§	C16.2	Malignant neoplasm of body of stomach
•§	C16.Ø	Malignant neoplasm of cardia
§	C18.Ø	Malignant neoplasm of cecum
¢§₽	C5Ø.112	Malignant neoplasm of central portion of left female breast
\\$ \$	C5Ø.111	Malignant neoplasm of central portion of right female breast
§₽	C53.9	Malignant neoplasm of cervix uteri, unspecified
§	C18.9	Malignant neoplasm of colon, unspecified
§	C49.9	Malignant neoplasm of connective and soft tissue, unspecified
§	C18.6	Malignant neoplasm of descending colon
9	C54.1	Malignant neoplasm of endometrium
•§	C15.9	Malignant neoplasm of esophagus, unspecified
•§	C16.1	Malignant neoplasm of fundus of stomach
Δ§	C25.Ø	Malignant neoplasm of head of pancreas
§	C76.Ø	Malignant neoplasm of head, face and neck
§	C64.2	Malignant neoplasm of left kidney, except renal pelvis
♦§	C34.Ø2	Malignant neoplasm of left main bronchus
пδ	C56.2	Malignant neoplasm of left ovary
★ §	C22.9	Malignant neoplasm of liver, not specified as primary or secondar
♦§	C34.32	Malignant neoplasm of lower lobe, left bronchus or lung
∳§	C34.31	Malignant neoplasm of lower lobe, right bronchus or lung
•§	C15.5	Malignant neoplasm of lower third of esophagus

		Diagnosis
Symbol	Code	Sign or Symptom
≬ §♀	C5Ø.511	Malignant neoplasm of lower-outer quadrant of right female breast
♦§	C34.2	Malignant neoplasm of middle of lobe, bronchus or lung
•§	C15.4	Malignant neoplasm of middle third of esophagus
≬§₽	C5Ø.Ø12	Malignant neoplasm of nipple and areola, left female breast
•§	C15.8	Malignant neoplasm of overlapping sites of esophagus
∳§	C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung
◊ §♀	C5Ø.812	Malignant neoplasm of overlapping sites of left female breast
∳§	C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung
≬§₽	C5Ø.811	Malignant neoplasm of overlapping sites of right female breast
•§	C16.8	Malignant neoplasm of overlapping sites of stomach
Δ§	C25.9	Malignant neoplasm of pancreas, unspecified
	C67.4	Malignant neoplasm of posterior wall of bladder
≜ §♂	C61	Malignant neoplasm of prostate
§	C19	Malignant neoplasm of rectosigmoid junction
§	C2Ø	Malignant neoplasm of rectum
§	C64.1	Malignant neoplasm of right kidney, except renal pelvis
♦§	C34.Ø1	Malignant neoplasm of right main bronchus
пΩ	C56.1	Malignant neoplasm of right ovary
§	C18.7	Malignant neoplasm of sigmoid colon
•§	C16.9	Malignant neoplasm of stomach, unspecified
	C73	Malignant neoplasm of thyroid gland
	CØ9.9	Malignant neoplasm of tonsil, unspecified
§	C18.4	Malignant neoplasm of transverse colon
§	C64.9	Malignant neoplasm of unspecified kidney, except renal pelvis
пΩ	C56.9	Malignant neoplasm of unspecified ovary
∳§	C34.92	Malignant neoplasm of unspecified part of left bronchus or lung
♦ §	C34.91	Malignant neoplasm of unspecified part of right bronchus or lung
∳§	C34.9Ø	Malignant neoplasm of unspecified part of unspecified bronchus or lung
≬§₽	C5Ø.912	Malignant neoplasm of unspecified site of left female breast
◊ §♀	C5Ø.911	Malignant neoplasm of unspecified site of right female breast
◊ §♀	C5Ø.919	Malignant neoplasm of unspecified site of unspecified female breast
♦§	C34.12	Malignant neoplasm of upper lobe, left bronchus or lung
♦§	C34.11	Malignant neoplasm of upper lobe, right bronchus or lung
∳§	C34.1Ø	Malignant neoplasm of upper lobe, unspecified bronchus or lung
\\$ \$	C5Ø.212	Malignant neoplasm of upper-inner quadrant of left female breast
◊ §♀	C5Ø.211	Malignant neoplasm of upper-inner quadrant of right female breast
≬ §♀	C5Ø.412	Malignant neoplasm of upper-outer quadrant of left female breast
◊ §♀	C5Ø.411	Malignant neoplasm of upper-outer quadrant of right female breast

	Diagnosis		
Symbol	Code	Sign or Symptom	
+	C7A.1	Malignant poorly differentiated neuroendocrine tumors	
§	D47.2	Monoclonal gammopathy	
§	D72.821	Monocytosis (symptomatic)	
§	C9Ø.ØØ	Multiple myeloma not having achieved remission	
▼§	D46.9	Myelodysplastic syndrome, unspecified	
O §	C92.9Ø	Myeloid leukemia, unspecified, not having achieved remission	
§	D47.9	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified	
⋖ §	D7Ø.9	Neutropenia, unspecified	
§	C85.9Ø	Non-Hodgkin lymphoma, unspecified, unspecified site	
§	D53.9	Nutritional anemia, unspecified	
§	R89.8	Other abnormal findings in specimens from other organs, systems and tissues	
	R97.8	Other abnormal tumor markers	
§	D72.818	Other decreased white blood cell count	
§	D72.828	Other elevated white blood cell count	
§	R53.83	Other fatigue	
	D5Ø.8	Other iron deficiency anemias	
*4	Z79.899	Other long term (current) drug therapy	
+	C7A.8	Other malignant neuroendocrine tumors	
⋖ §	D7Ø.8	Other neutropenia	
§	R91.8	Other nonspecific abnormal finding of lung field	
§	D61.818	Other pancytopenia	
₽§	R79.89	Other specified abnormal findings of blood chemistry	
§	D64.89	Other specified anemias	
	D75.89	Other specified diseases of blood and blood-forming organs	
§	D72.89	Other specified disorders of white blood cells	
A	D75.838	Other thrombocytosis	
	Z76.89	Persons encountering health services in other specified circumstances	
§	D45	Polycythemia vera	
§	C77.2	Secondary and unspecified malignant neoplasm of intra- abdominal lymph nodes	
§	C77.1	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes	
§	C77.Ø	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck	
§	C79.51	Secondary malignant neoplasm of bone	
§	C79.31	Secondary malignant neoplasm of brain	
§	C78.Ø2	Secondary malignant neoplasm of left lung	
§	C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct	
§	C79.89	Secondary malignant neoplasm of other specified sites	
§	C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum	
§	C78.Ø1	Secondary malignant neoplasm of right lung	
§	C79.9	Secondary malignant neoplasm of unspecified site	
§	D75.1	Secondary, polycythemia	
§	R91.1	Solitary pulmonary nodule	
	R16.1	Splenomegaly, not elsewhere classified	
§	D69.6	Thrombocytopenia, unspecified	
	D75.839	Thrombocytosis, unspecified	

Legend for Symbols

- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- Code also, if applicable, pancytopenia (acquired) (D61.818)
- Code first underlying disease, such as:

diphyllobothriasis (B7Ø.Ø)

hookworm disease (B76.Ø-B76.9)

hypothyroidism (EØØ.Ø-EØ3.9)

malaria (B5Ø.Ø-B54)

symptomatic late syphilis (A52.79)

tuberculosis (A18.89)

- Code also, if applicable, eosinophilia (D72.18)
- Code also condition requiring care
- ≈ Use additional code to identify:

exposure to environmental tobacco smoke (Z77.22)

history of tobacco dependence (Z87.891)

occupational exposure to environmental tobacco smoke (Z57.31)

tobacco dependence (F17.-)

tobacco use (Z72.Ø)

- Code also any follow-up examination (ZØ8-ZØ9)
- Use additional code for any associated:

fever (R5Ø.81)

Code also, if applicable, mucositis (J34.81, K12.3-, K92.81, N76.81)

Code also underlying neoplasm

Use additional code for adverse effect, if applicable, to identify drug (T36-T5Ø with fifth or sixth character 5)

Use additional code for adverse effect, if applicable, to identify drug (T36-T5Ø with fifth or sixth character 5)

★ Use additional code to identify:

alcohol abuse and dependence (F1Ø.-) hepatitis B (B16.-, B18.Ø-B18.1) hepatitis C (B17.1-, B18.2)

- Δ Code also if applicable exocrine pancreatic insufficiency (K86.81)

Use additional code to identify:

alcohol abuse and dependence (F1Ø.-)

Use additional code to identify:

alcohol abuse and dependence (F1Ø.-)

- Use additional code to identify estrogen, and other hormones and factors receptor status (Z17.-)
- Pemale diagnosis only
- Use additional code to identify:

exposure to environmental tobacco smoke (Z77.22)

exposure to tobacco smoke in the perinatal period (P96.81)

history of tobacco dependence (Z87.891)

occupational exposure to environmental tobacco smoke (Z57.31)

tobacco dependence (F17.-)

tobacco use (Z72.Ø)

- Use additional code to identify functional activity
- ▲ Use additional code to identify:

hormone sensitivity status (Z19.1-Z19.2)

rising PSA following treatment for malignant neoplasm of prostate (R97.21)

Male diagnosis only

Legend for Symbols (continued)

Use additional code to identify:

alcohol abuse and dependence (F1Ø.-) exposure to environmental tobacco smoke (Z77.22) history of tobacco dependence (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.Ø)

- Code also any associated multiple endocrine neoplasia [MEN] syndromes (E31.2-)
 Use additional code to identify any associated endocrine syndrome, such as:
 carcinoid syndrome (E34.ØØ)
- Code also any therapeutic drug level monitoring (Z51.81)
- Use additional code to identify any retained foreign body, if applicable (Z18.-)
- Y Code also underlying condition, if known and applicable

