

Allergy: Common ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians for allergy testing. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2024 through September 30, 2025. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information should be reflected in the patient's medical record.

Symbol	Diagnosis	
	Code	Sign or Symptom
§	R14.0	Abdominal distension (gaseous)
	R74.8	Abnormal levels of other serum enzymes
§	H10.13	Acute atopic conjunctivitis, bilateral
▶▶§	J01.91	Acute recurrent sinusitis, unspecified
▶▶§	J01.90	Acute sinusitis, unspecified
▶▲§	J06.9	Acute upper respiratory infection, unspecified
§	L23.9	Allergic contact dermatitis, unspecified cause
▶§	J30.81	Allergic rhinitis due to animal (cat) (dog) hair and dander
▶§	J30.5	Allergic rhinitis due to food
▶§	J30.1	Allergic rhinitis due to pollen
▶§	J30.9	Allergic rhinitis, unspecified
§	L50.0	Allergic urticaria
o	Z88.0	Allergy status to penicillin
o	Z88.9	Allergy status to unspecified drugs, medicaments and biological substances status
o	Z91.012	Allergy to eggs
o	Z91.014	Allergy to mammalian meats
o§	Z91.011	Allergy to milk products
o	Z91.018	Allergy to other foods
o	Z91.010	Allergy to peanuts
o	Z91.013	Allergy to seafood
➤§	T78.40XA	Allergy, unspecified, initial encounter
➤§	T78.40XD	Allergy, unspecified, subsequent encounter
	T78.08XA	Anaphylactic reaction due to eggs, initial encounter
➤§	T78.08XD	Anaphylactic reaction due to eggs, subsequent encounter
	T78.07XD	Anaphylactic reaction due to milk and dairy products, subsequent encounter
	T78.07XA	Anaphylactic reaction due to milk and dairy products, initial encounter
	T78.03XA	Anaphylactic reaction due to other fish, initial encounter
	T78.03XD	Anaphylactic reaction due to other fish, subsequent encounter
	T78.09XA	Anaphylactic reaction due to other food products, initial encounter
	T78.09XD	Anaphylactic reaction due to other food products, subsequent encounter
➤§	T78.01XA	Anaphylactic reaction due to peanuts, initial encounter
➤§	T78.01XD	Anaphylactic reaction due to peanuts, subsequent encounter

Symbol	Diagnosis	
	Code	Sign or Symptom
	T78.02XA	Anaphylactic reaction due to shellfish (crustaceans), initial encounter
	T78.02XD	Anaphylactic reaction due to shellfish (crustaceans), subsequent encounter
➤§	T78.05XA	Anaphylactic reaction due to tree nuts and seeds, initial encounter
➤§	T78.05XD	Anaphylactic reaction due to tree nuts and seeds, subsequent encounter
➤§	T78.00XA	Anaphylactic reaction due to unspecified food, initial encounter
➤§	T78.00XD	Anaphylactic reaction due to unspecified food, subsequent encounter
➤§	T78.2XXA	Anaphylactic shock, unspecified, initial encounter
➤§	T78.2XXD	Anaphylactic shock, unspecified, subsequent encounter
§	D64.9	Anemia, unspecified
➤§	T78.3XXA	Angioneurotic edema, initial encounter
➤§	T78.3XXD	Angioneurotic edema, subsequent encounter
§	D80.6	Antibody deficiency with near-normal immunoglobulins or with hyperimmunoglobulinemia
	L20.9	Atopic dermatitis, unspecified
	L20.81	Atopic neurodermatitis
§	E06.3	Autoimmune thyroiditis
o	Z91.030	Bee allergy status
▼§	K90.0	Celiac disease
§	R05.3	Chronic cough
§	R53.82	Chronic fatigue, unspecified
▶▶	J32.0	Chronic maxillary sinusitis
▶★§	J44.9	Chronic obstructive pulmonary disease, unspecified
▶▶	J32.4	Chronic pansinusitis
▶§	J31.0	Chronic rhinitis
▶▶	J32.9	Chronic sinusitis, unspecified
§	D83.0	Common variable immunodeficiency with predominant abnormalities of B-cell numbers and function
§	D83.9	Common variable immunodeficiency, unspecified
o	Z77.120	Contact with and (suspected) exposure to mold (toxic)
▶◆§	J45.991	Cough variant asthma
§	R05.9	Cough, unspecified
⊕◆§	K50.90	Crohn's disease, unspecified, without complications
§	D84.1	Defects in the complement system
§	L27.2	Dermatitis due to ingested food

Symbol	Diagnosis	
	Code	Sign or Symptom
	L30.9	Dermatitis, unspecified
§	L50.3	Dermatographic urticaria
§	R19.7	Diarrhea, unspecified
§	D89.9	Disorders involving the immune mechanism, unspecified
§	Z01.82	Encounter for allergy testing
§	Z01.89	Encounter for other specified special examinations
§	D72.10	Eosinophilia, unspecified
◀§	K20.0	Eosinophilic esophagitis
●§	I10	Essential (primary) hypertension
§	R50.9	Fever, unspecified
❖	R23.2	Flushing
§	K21.9	Gastro-esophageal reflux disease without esophagitis
§	R10.84	Generalized abdominal pain
◇§	D89.44	Hereditary alpha tryptasemia
§	D82.4	Hyperimmunoglobulin E [IgE] syndrome
§	E03.9	Hypothyroidism, unspecified
§	D89.42	Idiopathic mast cell activation syndrome
§	L50.1	Idiopathic urticaria
§	D80.9	Immunodeficiency with predominantly antibody defects, unspecified
§	D84.9	Immunodeficiency, unspecified
	L20.84	Intrinsic (allergic) eczema
○	Z91.040	Latex allergy status
§	R22.0	Localized swelling, mass and lump, head
§	R22.1	Localized swelling, mass and lump, neck
§	K90.49	Malabsorption due to intolerance, not elsewhere
§	D89.40	Mast cell activation, unspecified
▶◇§	J45.20	Mild intermittent asthma, uncomplicated
▶◇§	J45.30	Mild persistent asthma, uncomplicated
▶◇§	J45.41	Moderate persistent asthma with (acute) exacerbation
▶◇§	J45.40	Moderate persistent asthma, uncomplicated
§	R09.81	Nasal congestion
▶§	J33.9	Nasal polyp, unspecified
§	D80.1	Nonfamilial hypogammaglobulinemia
➤★§	T78.1XXA	Other adverse food reactions, not elsewhere classified, initial encounter
➤★§	T78.1XXD	Other adverse food reactions, not elsewhere classified, subsequent encounter
⊙§	K52.29	Other allergic and dietetic gastroenteritis and colitis
▶§	J30.89	Other allergic rhinitis
○	Z91.09	Other allergy status, other than to drugs and biological substances
➤§	T78.49XA	Other allergy, initial encounter
▶◇§	J45.998	Other asthma
	L20.89	Other atopic dermatitis
§	H10.45	Other chronic allergic conjunctivitis
▶➤	J32.8	Other chronic sinusitis
§	R53.83	Other fatigue
§	D84.89	Other immunodeficiencies
○	Z91.038	Other insect allergy status
§	D47.09	Other mast cell neoplasms of uncertain behavior
	L28.2	Other prurigo

Symbol	Diagnosis	
	Code	Sign or Symptom
§	L29.89	Other pruritus
▶§	J30.2	Other seasonal allergic rhinitis
	R76.8	Other specified abnormal immunological findings in serum
	L30.8	Other specified dermatitis
§	D89.89	Other specified disorders involving the immune mechanism, not elsewhere classified
▶§	J98.8	Other specified respiratory disorders
§	L50.8	Other urticaria
	M25.50	Pain in unspecified joint
○≈‡	Z87.892	Personal history of anaphylaxis (never a primary diagnosis)
	Z76.89	Persons encountering health services in other specified circumstances
▶■▽§	J18.9	Pneumonia, unspecified organism
▶§	J33.0	Polyp of nasal cavity
§	R09.82	Postnasal drip
§	L29.9	Pruritus, unspecified
§	R21	Rash and other nonspecific skin eruption
§	D80.2	Selective deficiency of immunoglobulin A [IgA]
§	D80.3	Selective deficiency of immunoglobulin G [IgG] subclasses
▶◇§	J45.51	Severe persistent asthma with (acute) exacerbation
▶◇§	J45.50	Severe persistent asthma, uncomplicated
§	R06.02	Shortness of breath
▲§	D47.02	Systemic mastocytosis
▽△§	T63.421A	Toxic effect of venom of ants, accidental (unintentional), initial encounter
▽△§	T63.421D	Toxic effect of venom of ants, accidental (unintentional), subsequent encounter
▽△§	T63.441A	Toxic effect of venom of bees, accidental (unintentional), initial encounter
▽△§	T63.441D	Toxic effect of venom of bees, accidental (unintentional), subsequent encounter
▽△§	T63.451D	Toxic effect of venom of hornets, accidental (unintentional), subsequent encounter
▽△§	T63.481A	Toxic effect of venom of other arthropod, accidental (unintentional), initial encounter
▽△§	T63.481D	Toxic effect of venom of other arthropod, accidental (unintentional), subsequent encounter
▽△§	T63.461A	Toxic effect of venom of wasps, accidental (unintentional), initial encounter
▽△§	T63.461D	Toxic effect of venom of wasps, accidental (unintentional), subsequent encounter
§	R10.9	Unspecified abdominal pain
▶◇§	J45.909	Unspecified asthma, uncomplicated
◀§	B99.9	Unspecified infectious disease
§	L50.9	Urticaria, unspecified
▶§	J30.0	Vasomotor rhinitis
§	E55.9	Vitamin D deficiency, unspecified
§	R11.10	Vomiting, unspecified
§	R06.2	Wheezing

Legend for Symbols

- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- ▶ Use additional code, where applicable, to identify:
 - exposure to environmental tobacco smoke (Z77.22)
 - exposure to tobacco smoke in the perinatal period (P96.81)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.Ø)
- ✦ Use additional code to identify infectious agent (B95-B97)
- ▲ Use additional code (B95-B97) to identify infectious agent, if known, such as:
 - respiratory syncytial virus (RSV) (B97.4)
- Code also any follow-up examination (ZØ8-ZØ9)
- Use additional code to identify any retained foreign body, if applicable (Z18.-)
- ▼ Use additional code for associated disorders including:
 - dermatitis herpetiformis (L13.Ø)
 - gluten ataxia (G32.81)Code also exocrine pancreatic insufficiency (K86.81)
- ★ Code also type of asthma, if applicable (J45.-)
- ◇ Use additional code to identify:
 - eosinophilic asthma (J82.83)
 - exposure to environmental tobacco smoke (Z77.22)
 - exposure to tobacco smoke in the perinatal period (P96.81)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.Ø)
- ⊛ Use additional code to identify manifestations such as:
 - pyoderma gangrenosum (L88)
- ◆ Use additional code to identify any associated fistulas, if applicable:
 - anal fistula (K6Ø.3-)
 - anorectal fistula (K6Ø.5-)
 - rectal fistula (K6Ø.4-)
- ◀ Use additional code to identify:
 - alcohol abuse and dependence (F1Ø.-)
- Use additional code to identify:
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.Ø)
- ❖ Code first, if applicable, menopausal and female climacteric states (N95.1)
- ◇ Use additional code, if applicable, for:
 - allergy status, other than to drugs and biological substances (Z91.Ø-)
 - personal history of anaphylaxis (Z87.892)
- ☆ Use additional code to identify the type of reaction, if applicable
- ⊙ Use additional code to identify type of food allergy (Z91.Ø1-, Z91.Ø2-)
- ‡ Code first any follow-up examination after treatment (ZØ9)
- ≈ Code also allergy status such as:
 - allergy status to drugs, medicaments and biological substances (Z88.-)
 - allergy status, other than to drugs and biological substances (Z91.Ø-)

Legend for Symbols *(continued)*

- Use additional code, if applicable, to identify resistance to antimicrobial drugs (Z16.-)
- ▽ Code first, if applicable, associated influenza (J09.X1, J10.0-, J11.0-)
- ▲ Code also, if applicable, any associated hematological non-mast cell lineage disease, such as:
 - acute myeloid leukemia (C92.6-, C92.A-)
 - chronic myelomonocytic leukemia (C93.1-)
 - essential thrombocytosis (D47.3)
 - hypereosinophilic syndrome (D72.1)
 - myelodysplastic syndrome (D46.9)
 - myeloproliferative syndrome (D47.1)
 - non-Hodgkin lymphoma (C82-C85)
 - plasma cell myeloma (C90.0-)
 - polycythemia vera (D45)
- ▼ Use additional code(s) for all associated manifestations of toxic effect, such as:
 - personal history of foreign body fully removed (Z87.821)
 - respiratory conditions due to external agents (J60-J70)
 - to identify any retained foreign body, if applicable (Z18.-)
- △ Use additional code, if applicable, for anaphylactic shock (T78.2)
- ◀ Use additional code to identify resistance to antimicrobial drugs (Z16.-)