

## Prenatal Genetic Testing: ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians for prenatal genetic testing. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2024 through September 30, 2025. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-10-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-10-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information should be reflected in the patient's medical record.

Symbol	Diagnosis		Symbol	Diagnosis	
	Code	Sign or Symptom		Code	Sign or Symptom
§	D64.9	Anemia, unspecified	■§♀	O09.42	Supervision of pregnancy with grand multiparity, second trimester (maternity age 9-64)
§	E03.9	Hypothyroidism, unspecified	■§♀	O09.511	Supervision of elderly primigravida, first trimester (maternity age 9-64)
§	E55.9	Vitamin D deficiency, unspecified	■§♀	O09.512	Supervision of elderly primigravida, second trimester (maternity age 9-64)
◆§	E66.01	Morbid (severe) obesity due to excess calories	■§♀	O09.519	Supervision of elderly primigravida, unspecified trimester (maternity age 9-64)
◆§	E66.9	Obesity, unspecified	■§♀	O09.521	Supervision of elderly multigravida, first trimester (maternity age 9-64)
	F80.9	Developmental disorder of speech and language, unspecified	■§♀	O09.522	Supervision of elderly multigravida, second trimester (maternity age 9-64)
	F81.9	Developmental disorder of scholastic skills, unspecified	■§♀	O09.523	Supervision of elderly multigravida, third trimester (maternity age 9-64)
◇§	F84.0	Autistic disorder	■§♀	O09.529	Supervision of elderly multigravida, unspecified trimester (maternity age 9-64)
	F88	Other disorders of psychological development	■§♀	O09.611	Supervision of young primigravida, first trimester (maternity age 9-64)
●§	I10	Essential (primary) hypertension	■§♀	O09.612	Supervision of young primigravida, second trimester (maternity age 9-64)
○§	N39.0	Urinary tract infection, site not specified	■§♀	O09.621	Supervision of young multigravida, first trimester (maternity age 9-64)
§♀	N89.8	Other specified noninflammatory disorders of vagina	■§♀	O09.71	Supervision of high risk pregnancy due to social problems, first trimester (maternity age 9-64)
§♀	N91.0	Primary amenorrhea	■§♀	O09.811	Supervision of pregnancy resulting from assisted procreative technology, first trimester (maternity age 9-64)
§♀	N91.1	Secondary amenorrhea	■§♀	O09.819	Supervision of pregnancy resulting from assisted reproductive technology, unspecified trimester (maternity age 9-64)
§♀	N91.2	Amenorrhea, unspecified	■§♀	O09.891	Supervision of other high risk pregnancies, first trimester (maternity age 9-64)
§♀	N92.6	Irregular menstruation, unspecified	■§♀	O09.892	Supervision of other high risk pregnancies, second trimester (maternity age 9-64)
§♀	N96	Recurrent pregnancy loss	■§♀	O09.893	Supervision of other high risk pregnancies, third trimester (maternity age 9-64)
■□§♀	O02.1	Missed abortion (maternity age 9-64)	■§♀	O09.899	Supervision of other high risk pregnancies, unspecified trimester (maternity age 9-64)
■§♀	O03.9	Complete or unspecified spontaneous abortion without complication (maternity age 9-64)	■§♀	O09.90	Supervision of high risk pregnancy, unspecified, unspecified trimester (maternity age 9-64)
■§♀	O09.00	Supervision of pregnancy with history of infertility, unspecified trimester (maternity age 9-64)	■§♀	O09.91	Supervision of high risk pregnancy, unspecified, first trimester (maternity age 9-64)
■§♀	O09.01	Supervision of pregnancy with history of infertility, first trimester (maternity age 9-64)			
■§♀	O09.291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester (maternity age 9-64)			
■§♀	O09.292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester (maternity age 9-64)			
■§♀	O09.299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester (maternity age 9-64)			
■§♀	O09.30	Supervision of pregnancy with insufficient antenatal care, unspecified trimester (maternity age 9-64)			
■§♀	O09.32	Supervision of pregnancy with insufficient antenatal care, second trimester (maternity age 9-64)			
■§♀	O09.33	Supervision of pregnancy with insufficient antenatal care, third trimester (maternity age 9-64)			
■§♀	O09.41	Supervision of pregnancy with grand multiparity, first trimester (maternity age 9-64)			

Each category that includes codes for trimester has a code for unspecified trimester. The unspecified trimester code should rarely be used, such as when the documentation in the record is insufficient to determine the trimester and it is not possible to obtain clarification. See ICD-10-CM Official Guidelines for Coding and Reporting; Chapter 15: Pregnancy, Childbirth and the Puerperium (O00-O9A).

Z13.79 Encounter for other screening for genetic and chromosomal anomalies is a commonly received code for genetic testing; however, it is not included on this listing as it is indicated for nonprocreative screening and should not be used for examinations related to pregnancy and reproduction. ICD-10-CM Official Guidelines for Coding and Reporting provide additional details about Excludes1 notes. See <https://icd10cmtool.cdc.gov/?fy=FY2025&query=Z13.79#disease-injuries> for information regarding Excludes1 notes for Z13.79.

Symbol	Diagnosis	
	Code	Sign or Symptom
■§♀	O09.92	Supervision of high risk pregnancy, unspecified, second trimester (maternity age 9-64)
■§♀	O09.93	Supervision of high risk pregnancy, unspecified, third trimester (maternity age 9-64)
■§♀	O10.919	Unspecified pre-existing hypertension complicating pregnancy, unspecified trimester (maternity age 9-64)
■§♀	O20.0	Threatened abortion (maternity age 9-64)
■§♀	O21.9	Vomiting of pregnancy, unspecified (maternity age 9-64)
■▼§♀	O24.111	Pre-existing type 2 diabetes mellitus, in pregnancy, first trimester (maternity age 9-64)
■§♀	O26.21	Pregnancy care for patient with recurrent pregnancy loss, first trimester (maternity age 9-64)
■§♀	O26.841	Uterine size-date discrepancy, first trimester
■§♀	O26.842	Uterine size-date discrepancy, second trimester
■§♀	O26.843	Uterine size-date discrepancy, third trimester (maternity age 9-64)
■§♀	O26.91	Pregnancy related conditions, unspecified, first trimester (maternity age 9-64)
■§♀	O28.0	Abnormal hematological finding on antenatal screening of mother (maternity age 9-64)
■§♀	O28.1	Abnormal biochemical finding on antenatal screening of mother (maternity age 9-64)
■§♀	O28.3	Abnormal ultrasonic finding on antenatal screening of mother (maternity age 9-64)
■§♀	O28.5	Abnormal chromosomal and genetic finding of antenatal screening of mother (maternity age 9-64)
■§♀	O28.9	Unspecified abnormal findings on antenatal screening of mother (maternity age 9-64)
■△§♀	O30.001	Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester (maternity age 9-64)
■△§♀	O30.041	Twin pregnancy, dichorionic/diamniotic, first trimester (maternity age 9-64)
■△§♀	O30.042	Twin pregnancy, dichorionic/diamniotic, second trimester (maternity age 9-64)
■△§♀	O30.049	Twin pregnancy, dichorionic/diamniotic, unspecified trimester (maternity age 9-64)
■❖§♀	O34.211	Maternal care for low transverse scar from previous cesarean delivery (maternity age 9-64)
■❖§♀	O34.219	Maternal care for unspecified type scar from previous cesarean delivery (maternity age 9-64)
■⊕§♀	O35.10X0	Maternal care for (suspected) chromosomal abnormality in fetus, unspecified, not applicable or unspecified (maternity age 9-64)
■⊕§♀	O35.2XX0	Maternal care for (suspected) hereditary disease in fetus, not applicable or unspecified (maternity age 9-64)
■⊕§♀	O35.8XX0	Maternal care for other (suspected) fetal abnormality and damage, not applicable or unspecified (maternity age 9-64)
■⊕§♀	O35.9XX0	Maternal care for (suspected) fetal abnormality and damage, unspecified, not applicable or unspecified (maternity age 9-64)
■⊕§♀	O35.BXX0	Maternal care for other (suspected) fetal abnormality and damage, fetal cardiac anomalies, not applicable or unspecified (maternity age 9-64)
■⊕§♀	O35.EXX0	Maternal care for other (suspected) fetal abnormality and damage, fetal genitourinary anomalies, not applicable or unspecified (maternity age 9-64)

Symbol	Diagnosis	
	Code	Sign or Symptom
■§♀	O36.4XX0	Maternal care for intrauterine death, not applicable or unspecified (maternity age 9-64)
■§♀	O36.5920	Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified (maternity age 9-64)
■§♀	O36.5990	Maternal care for other known or suspected poor fetal growth, unspecified trimester, not applicable or unspecified (maternity age 9-64)
■§♀	O36.71X0	Maternal care for viable fetus in abdominal pregnancy, first trimester, not applicable or unspecified (maternity age 9-64)
■§♀	O36.72X1	Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 1 (maternity age 9-64)
■§♀	O36.80X0	Pregnancy with inconclusive fetal viability, not applicable or unspecified (maternity age 9-64)
■★§♀	O99.019	Anemia complicating pregnancy, unspecified trimester (maternity age 9-64)
■★☆☆§♀	O99.210	Obesity complicating pregnancy, unspecified trimester (maternity age 9-64)
■★☆☆§♀	O99.211	Obesity complicating pregnancy, first trimester (maternity age 9-64)
■★☆☆§♀	O99.212	Obesity complicating pregnancy, second trimester (maternity age 9-64)
	Q99.9	Chromosomal abnormality, unspecified
§	R53.83	Other fatigue
§	R62.0	Delayed milestone in childhood (pediatric age 0-17)
§	R62.50	Unspecified lack of expected normal physiological development in childhood
➤§♀	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings
§	Z01.89	Encounter for other specified special examinations
§	Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission
§	Z11.4	Encounter for screening for human immunodeficiency virus [HIV]
§	Z11.59	Encounter for screening for other viral diseases
◀§♀	Z12.4	Encounter for screening for malignant neoplasm of cervix
§	Z13.0	Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
§	Z13.1	Encounter for screening for diabetes mellitus
§	Z13.228	Encounter for screening for other metabolic disorders
§	Z13.71	Encounter for nonprocreative screening for genetic disease carrier status
§	Z13.89	Encounter for screening for other disorder
§	Z13.9	Encounter for screening, unspecified
	Z14.8	Genetic carrier of other disease
§	Z20.2	Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission
§	Z31.41	Encounter for fertility testing
⊙§♀	Z31.430	Encounter of female for testing for genetic disease carrier status for procreative management
⊙§♀	Z31.438	Encounter for other genetic testing of female for procreative management
§♂	Z31.440	Encounter of male for testing for genetic disease carrier status for procreative management

Each category that includes codes for trimester has a code for unspecified trimester. The unspecified trimester code should rarely be used, such as when the documentation in the record is insufficient to determine the trimester and it is not possible to obtain clarification. See ICD-10-CM Official Guidelines for Coding and Reporting; Chapter 15: Pregnancy, Childbirth and the Puerperium (O00-O9A).

Z13.79 Encounter for other screening for genetic and chromosomal anomalies is a commonly received code for genetic testing; however, it is not included on this listing as it is indicated for nonprocreative screening and should not be used for examinations related to pregnancy and reproduction. ICD-10-CM Official Guidelines for Coding and Reporting provide additional details about Excludes1 notes. See <https://icd10cmtool.cdc.gov/?fy=FY2025&query=Z13.79#disease-injuries> for information regarding Excludes1 notes for Z13.79.

Symbol	Diagnosis	
	Code	Sign or Symptom
	Z31.5	Encounter for procreative genetic counseling
	Z31.69	Encounter for other general counseling and advice on procreation
§♀	Z31.7	Encounter for procreative management and counseling for gestational carrier
	Z31.9	Encounter for procreative management, unspecified
♀	Z32.00	Encounter for pregnancy test, result unknown
♀	Z32.01	Encounter for pregnancy test, result positive (maternity age 9-64)
§♀	Z33.1	Pregnancy state, incidental (maternity age 9-64) (never a primary diagnosis)
§♀	Z34.00	Encounter for supervision of normal first pregnancy, unspecified trimester (maternity age 9-64)
§♀	Z34.01	Encounter for supervision of normal first pregnancy, first trimester (maternity age 9-64)
§♀	Z34.02	Encounter for supervision of normal first pregnancy, second trimester (maternity age 9-64)
§♀	Z34.03	Encounter for supervision of normal first pregnancy, third trimester (maternity age 9-64)
§♀	Z34.80	Encounter for supervision of other normal pregnancy, unspecified trimester (maternity age 9-64)
§♀	Z34.81	Encounter for supervision of other normal pregnancy, first trimester (maternity age 9-64)
§♀	Z34.82	Encounter for supervision of other normal pregnancy, second trimester (maternity age 9-64)
§♀	Z34.83	Encounter for supervision of other normal pregnancy, third trimester (maternity age 9-64)
§♀	Z34.90	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester (maternity age 9-64)
§♀	Z34.91	Encounter for supervision of normal pregnancy, unspecified, first trimester (maternity age 9-64)
§♀	Z34.92	Encounter for supervision of normal pregnancy, unspecified, second trimester (maternity age 9-64)
§♀	Z34.93	Encounter for supervision of normal pregnancy, unspecified, third trimester (maternity age 9-64)
§♀	Z36.0	Encounter for antenatal screening for chromosomal anomalies (maternity age 9-64)
§♀	Z36.1	Encounter for antenatal screening for raised alphafetoprotein level (maternity age 9-64)
§♀	Z36.2	Encounter for other antenatal screening follow-up (maternity age 9-64)
§♀	Z36.3	Encounter for antenatal screening for malformations (maternity age 9-64)
§♀	Z36.5	Encounter for antenatal screening for isoimmunization (maternity age 9-64)
§♀	Z36.82	Encounter for antenatal screening for nuchal translucency (maternity age 9-64)
§♀	Z36.86	Encounter for antenatal screening for cervical length (maternity age 9-64)
§♀	Z36.87	Encounter for antenatal screening for uncertain dates (maternity age 9-64)
§♀	Z36.89	Encounter for other specified antenatal screening (maternity age 9-64)
§♀	Z36.8A	Encounter for antenatal screening for other genetic defects (maternity age 9-64)
§♀	Z36.9	Encounter for antenatal screening, unspecified (maternity age 9-64)

Symbol	Diagnosis	
	Code	Sign or Symptom
∞§♀	Z3A.09	9 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis)
∞§♀	Z3A.10	10 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis)
∞§♀	Z3A.11	11 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis)
∞§♀	Z3A.12	12 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis)
∞§♀	Z3A.13	13 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis)
∞§♀	Z3A.14	14 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis)
∞§♀	Z3A.16	16 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis)
♀	Z64.1	Problems related to multiparity (never a primary diagnosis)
	Z76.89	Persons encountering health services in other specified circumstances
☼	Z82.79	Family history of other congenital malformations, deformations and chromosomal abnormalities (never a primary diagnosis)
☼▲♀	Z87.59	Personal history of other complications of pregnancy, childbirth and the puerperium (never a primary diagnosis)
☼§♀	Z98.891	History of uterine scar from previous surgery

Each category that includes codes for trimester has a code for unspecified trimester. The unspecified trimester code should rarely be used, such as when the documentation in the record is insufficient to determine the trimester and it is not possible to obtain clarification. See ICD-10-CM Official Guidelines for Coding and Reporting; Chapter 15: Pregnancy, Childbirth and the Puerperium (O00-O9A).

Z13.79 Encounter for other screening for genetic and chromosomal anomalies is a commonly received code for genetic testing; however, it is not included on this listing as it is indicated for nonprocreative screening and should not be used for examinations related to pregnancy and reproduction. ICD-10-CM Official Guidelines for Coding and Reporting provide additional details about Excludes1 notes. See <https://icd10cmtool.cdc.gov/?fy=FY2025&query=Z13.79#disease-injuries> for information regarding Excludes1 notes for Z13.79.

## Legend for Symbols

- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- ◆ Code first obesity complicating pregnancy, childbirth and the puerperium, if applicable (O99.21-)  
Use additional code to identify body mass index (BMI), if known, for adults (Z68.1-Z68.45) or pediatrics (Z68.5-)
- ◇ Code also any associated medical condition and intellectual disabilities
- Use additional code to identify:
  - exposure to environmental tobacco smoke (Z77.22)
  - history of tobacco dependence (Z87.891)
  - occupational exposure to environmental tobacco smoke (Z57.31)
  - tobacco dependence (F17.-)
  - tobacco use (Z72.0)
- Use additional code (B95-B97), to identify infectious agent
- ♀ Female diagnosis only
- Use additional code, if applicable, from category Z3A, Weeks of gestation, to identify the specific week of the pregnancy, if known
- Use additional code from category O08 to identify any associated complication
- ▼ Use additional code (for):
  - from category E11 to further identify any manifestations
  - injectable non-insulin antidiabetic drugs (Z79.85)
  - long-term (current) use of insulin (Z79.4)
- △ Code also any complications specific to multiple gestation
- ❖ Code first any associated obstructed labor (O65.5)  
Use additional code for specific condition
- ⊗ Code also any associated maternal condition
- ★ Use additional code to identify specific condition
- ☆ Use additional code to identify type of obesity (E66.-)
- Use additional code:
  - for screening for human papillomavirus, if applicable (Z11.51)
  - for screening vaginal pap smear, if applicable (Z12.72)
  - to identify acquired absence of uterus, if applicable (Z90.71-)
- ↖ Use additional code to identify any family history of malignant neoplasm (Z80.-)
- ◎ Use additional code for recurrent pregnancy loss, if applicable (N96, O26.2-)
- ♂ Male diagnosis only
- ∞ Code first obstetric condition or encounter for delivery (O09-O60, O80-O82)
- ⚙ Code also any follow-up examination (Z08-Z09)
- ▲ Code first any follow-up examination after treatment (Z09)